

Jain R, Jain N, Jain DK, Jain SK. Eco-friendly quantitative estimation of lercanidipine hydrochloride: A novel approach using hydrotropic solubilization technique. *Bull. Pharm. Res.* 2013;3(1):23-8.

### References (22):

1. Alvarez-Lueje A, Nunez-Vergara LJ, Pujol S, Squella JA. Voltametric behavior of lercanidipine and its differential pulse polarographic determination in tablets. *Electroanalysis* 2002;14(15-16):1098-1104.  
[http://onlinelibrary.wiley.com/doi/10.1002/1521-4109\(200208\)14:15/16%3C1098::AID-ELAN1098%3E3.0.CO;2-U/abstract](http://onlinelibrary.wiley.com/doi/10.1002/1521-4109(200208)14:15/16%3C1098::AID-ELAN1098%3E3.0.CO;2-U/abstract)
2. Alvarez-Lueje A, Pujol S, Squella JA, Nunez-Vergara LJ. A selective HPLC method for determination of lercanidipine HCl in tablet. *J. Pharm. Biomed. Anal.* 2003;31(1):1-9.  
<http://www.sciencedirect.com/science/article/pii/S0731708502006015>
3. Eswar GM, Shyam SB, Devala RG. Spectrophotometric methods for the determination of lercanidipine in pharmaceutical formulations. *The Indian Pharmacist* 2004;3(29):77-8.
4. Fiori J, Gotti R, Bertucci C, Cavrini V. Investigation on the photochemical stability of lercanidipine and its determination in tablets by HPLC-UV and LC-ESI-MS/MS. *J. Pharm. Biomed. Anal.* 2006;41(1):176-81.  
<http://www.ncbi.nlm.nih.gov/pubmed/16378707>
5. ICH, Q2 (R1). Validation of Analytical Procedures: Text and Methodology. International Conference on Harmonization, IFPMA, Geneva: 2005; 1-13.
6. Jain NK, Jain R, Jain A, Pandey SP, Jain DK. Spectrophotometric method development and validation for quantitative estimation of amlodipine besylate in bulk drug and their dosage forms by using hydrotropic agent. *Eurasian J. Anal. Chem.* 2010;5(3):212-7.  
[http://www.eurasianjournals.com/index.php/ejac/article/view/140/pdf\\_124](http://www.eurasianjournals.com/index.php/ejac/article/view/140/pdf_124)
7. Jain N, Jain R, Kulkarni S, Jain DK, Jain S. Ecofriendly spectrophotometric method development and their validation for quantitative estimation of pramipexole dihydrochloride using mixed hydrotropic agent. *J. Chem. Pharm. Res.* 2011;3(1):548-52.  
<http://jocpr.com/vol3-iss1-2011/JCPR-3-1-548-552.pdf>
8. Jain N, Jain R, Thakur N, Gupta BP, Banweer J, Jain S. Novel spectrophotometric quantitative estimation of hydrochlorothiazide in bulk drug and their dosage forms by using hydrotropic agent. *Int. J. Appl. Pharm.* 2010;2(3):11-4.  
<http://www.ijaponline.org/Vol2Issue3/3.pdf>

9. Jain N, Jain R, Thakur N, Gupta BP, Banweer J, Jain S. Novel spectrophotometric quantitative estimation of torsemide in tablets using mixed hydrotropic agent. *Der Pharm. Lett.* 2010;2(3):249-54.  
<http://scholarsresearchlibrary.com/DPL-vol2-iss3/DPL-2010-2-3-249-254.pdf>
10. Maheshwari RK. Analysis of frusemide by application of hydrotropic solubilization phenomenon. *The Indian Pharmacist* 2005;34:55-8.
11. Maheshwari RK. A novel application of hydrotropic solubilization in the analysis of bulk samples of ketoprofen and salicylic acid. *Asian J. Chem.* 2006;18(1):393-6.
12. Maheshwari RK, Gupta S, Gharia A, Garg SK, Shilpkar R. Simple ecofriendly spectrophotometric estimation of tinidazole tablets by application of mixed-solvency techniques. *Bull. Pharm. Res.* 2011;1(1):22-5.  
<http://www.appconnect.in/wp-content/uploads/2011/05/FirstPagePreviewBPR004.pdf>
13. Maheshwari RK, Jawalker S, Jahan F, Patel S, Mehtani D. Application of mixed-hydrotrophy in titrimetric analysis of aceclofenac bulk drug sample. *Bull. Pharm. Res.* 2011;1(1):44-6.  
<http://www.appconnect.in/wp-content/uploads/2011/05/FirstPagePreviewBPR008.pdf>
14. Maheshwari RK, Sita Prasad, Pandey P, Wanare G. Novel spectrophotometric analysis of piroxicam tablets using ibuprofen sodium as hydrotropic solubilizing agents. *Int. J. Pharm. Sci. Drug Res.* 2010;2(3):10-2.  
<http://www.ijpsdr.com/pdf/vol2-issue3/9.pdf>
15. Mehrotra A, Malviya G, Maheshwari RK. Application of mixed hydrotrophy in spectrophotometric analysis of frusemide in different formulations. *Bull. Pharm. Res.* 2011;1(2):15-21.  
<http://www.appconnect.in/app/journalUploads/FirstPagePreviewBPR-2-4.pdf>
16. Mubeen G, Rao DS, Kadri U. Spectrophotometric method for determination of lercanidipine in tablets. *Int. J. ChemTech. Res.* 2009;1(4):1186-8.  
<http://connection.ebscohost.com/c/articles/51973370/spectrophotometric-method-determination-lercanidipine-tablets>
17. O'Neil MJ, Smith A, Heckelman PE. The Merck Index - An Encyclopedia of Chemicals, Drugs, and Biologicals. 13<sup>th</sup> edition, Merck and Co., Inc: Whitehouse Station, NJ, USA, 2001; 5465.
18. Ozturk F, Tasdemir IH, Erdogan DA, Erk N, Esmâ K. A new voltammetric method for the determination of lercanidipine in biological samples. *Acta. Chim. Slov.* 2011;58;830-9.  
<http://acta.chem-soc.si/58/58-4-830.pdf>
19. Salem II, Idrees J, Al Tamimi JI, Farina P. Selective and rapid liquid chromatography-mass spectrometry method for determination of lercanidipine in human plasma. *J. Chromatogr. B. Analyt. Technol. Biomed. Life Sci.* 2004;803(2):201-7.  
<http://www.ncbi.nlm.nih.gov/pubmed/15063326>

20. Sastry TM, Ramakrishna K. New spectrophotometric method of estimation of lercanidipine hydrochloride. *Indian J. Chem. Tech.* 2009;16(5):431-6.  
<http://nopr.niscair.res.in/bitstream/123456789/6168/1/IJCT%2016%285%29%20431-436.pdf>
21. Sweetman, SC. Martindale - The Complete Drug Reference, 32<sup>nd</sup> edition, The Pharmaceutical Press: London, 1999.
22. Vijaya MK, Muley PR. Reverse phase high performance liquid chromatographic method for determination of lercanidipine in bulk drug and solid dosage forms. *Indian drugs* 2004;41(1):24-7.

