

Mishra DK, Kumar A, Raj R, Chaturvedi A. Capmul MCM based nanoemulsion for intranasal delivery of an antidepressant. *Bull. Pharm. Res.* 2013;3(1):34-9.

### References (21):

1. Attwood D. Microemulsions In: Kreuter J. (Ed.), Colloidal Drug Delivery Systems, Marcel Dekker: New York, 1994.
2. Bielinska AU, Janczak KW, Landers JJ, Markovitz DM, Montefiori DC, Baker JR Jr. Nasal immunization with a recombinant HIV gp120 and NE adjuvant produces Th1 polarized responses and neutralizing antibodies to primary HIV type 1 isolates. *AIDS Res. Hum. Retroviruses* 2008;24(2):271-81.  
<http://www.ncbi.nlm.nih.gov/pubmed/18260780>
3. Borges VR, Simon A, Sena AR, Cabral LM, de Sousa VP. Nanoemulsion containing dapson for topical administration: a study of *in vitro* release and epidermal permeation. *Int. J. Nanomedicine* 2013;8:535-44.  
<http://www.ncbi.nlm.nih.gov/pubmed/23411489>
4. Chouksey R, Jain AK, Pandey H, Maithil A. *In vivo* assessment of atorvastatin nanoemulsion formulation. *Bull. Pharm. Res.* 2011;1(2):10-4.  
<http://www.appconnect.in/app/journalUploads/FirstPagePreviewBPR-2-3.pdf>
5. Chow HS, Chen Z, Matsuura GT. Direct transport of cocaine from the nasal cavity to the brain following intranasal cocaine administration in rats. *J. Pharm. Sci.* 1999;88(8):754-8.  
<http://www.ncbi.nlm.nih.gov/pubmed/10430537>
6. Farre M, de la Torre R, Llorente M, Lamas X, Ugena B, Segura J, Cami J. Alcohol and cocaine interactions in humans. *J. Pharmacol. Exp. Ther.* 1993;266(3):1364-73.  
<http://www.ncbi.nlm.nih.gov/pubmed/8371143>
7. Graff CL, Pollack GM. Drug transport at the blood-brain barrier and the choroid plexus. *Curr. Drug Metab.* 2004;5(1):95-108.  
<http://www.ncbi.nlm.nih.gov/pubmed/14965253>
8. Kumar D, Aqil M, Rizwan M, Sultana Y, Ali M. Investigation of a nanoemulsion as vehicle for transdermal delivery of amlodipine. *Pharmazie* 2009;64(2):80-5.  
<http://www.ncbi.nlm.nih.gov/pubmed/19320278>
9. Kumar A, Sharma P, Chaturvedi A, Jaiswal D, Bajpai M, Choudhary M, Yadav IK, Singh HP, Chandra D, Jain DA. Formulation development of sertraline hydrochloride microemulsion for intranasal delivery. *Int. J. ChemTech. Res.* 2009;1(4):941-7.  
[http://sphinxesai.com/CTVOL4/ct\\_pdf\\_vol\\_4/CT=23%20%28941-947%29.pdf](http://sphinxesai.com/CTVOL4/ct_pdf_vol_4/CT=23%20%28941-947%29.pdf)

10. Lachman L, Lieberman HA, Kanig JL. The Theory and Practice of Industrial Pharmacy, Third edition, Lea & Febiger: Philadelphia, USA, 1986; 510-1.
11. Lieberman HA, Rieger MM, Banker GS. Pharmaceutical Dosage Forms: Disperse Systems, Vol. 3, Second edition, Marcel Dekker: New York, 1998.
12. Loscher W, Potschka H. Role of drug efflux transporters in the brain for drug disposition and treatment of brain diseases. *Prog. Neurobiol.* 2005;76(1):22-76.  
<http://www.ncbi.nlm.nih.gov/pubmed/16011870>
13. McCance-Katz EF, Price LH, McDougle CJ, Kosten TR, Black JE, Jatlow PI. Concurrent cocaine-ethanol ingestion in humans: Pharmacology, physiology, behavior, and the role of cocaethylene. *Psychopharmacology (Berl)* 1993;111(1):39-46.  
<http://link.springer.com/content/pdf/10.1007%2FBF02257405.pdf>
14. Pardridge WM. Blood-brain barrier biology and methodology. *J. Neurovirol.* 1999;5(6):556-69.  
<http://www.jneurovirol.com/pdf/5%286%29/556-569.pdf>
15. Parmar VJ, Lumbhani AN. Formulation and development of thermoreversible mucoadhesive intranasal *in situ* hydrogel by using a combination of polymers. *Bull. Pharm. Res.* 2012;2(3): 167-74.  
<http://www.appconnect.in/wp-content/uploads/2011/03/Reprint-BPR063.pdf>
16. Perez-Reyes M, Jeffcoat AR. Ethanol/cocaine interaction: Cocaine and cocaethylene plasma concentrations and their relationship to subjective and cardiovascular effects. *Life Sci.* 1992;51(8):553-63.  
<http://www.ncbi.nlm.nih.gov/pubmed/1640806>
17. Shakeel F, Baboota S, Ahuja A, Ali J, Aqil M, Shafiq S. Nanoemulsions as vehicles for transdermal delivery of aceclofenac. *AAPS PharmSciTech* 2007;8(4):E104.  
<http://www.ncbi.nlm.nih.gov/pubmed/18181525>
18. Talegaonkar S, Tariq M, Alabood RM. Design and development of o/w nanoemulsion for the transdermal delivery of ondansetron. *Bull. Pharm. Res.* 2011;1(3):18-30.  
<http://www.appconnect.in/app/journalUploads/fpp-3-5.pdf>
19. Vyas TK, Babbar AK, Sharma RK, Singh S, Misra A. Preliminary brain-targeting studies on intranasal mucoadhesive microemulsions of sumatriptan. *AAPS PharmSciTech.* 2008;7(1): E49-E57.  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2750715/>
20. Vyas TK, Babbar AK, Sharma RK, Singh S, Misra A. Intranasal mucoadhesive microemulsions of clonazepam: Preliminary studies on brain targeting. *J. Pharm. Sci.* 2006;95(3):570-80.  
<http://www.ncbi.nlm.nih.gov/pubmed/16419051>

21. Zheng WW, Zhao L, Wei YM, Ye Y, Xiao SH. Preparation and the *in vitro* evaluation of nanoemulsion system for the transdermal delivery of granisetron hydrochloride. *Chem. Pharm. Bull. (Tokyo)* 2010;58(8):1015-9.  
<http://www.ncbi.nlm.nih.gov/pubmed/20686252>

