

Patil MG, Banerjee SK, Bonde CG, Chhabra GS. UV spectrophotometric method development for the determination of desvenlafaxine succinate in tablet formulation. *Bull. Pharm. Res.* 2011;1(1):40-3.

Cited by:

1. Shah J, Banerjee SK, Chhabra GS. UV spectrophotometric method development and validation for entacapone in bulk and formulation. *Bull. Pharm. Res.* 2011;1(2):7-9.
<http://www.appconnect.in/app/journalUploads/FirstPagePreviewBPR-2-2.pdf>
2. Bhimavarapu R, Chitra KP, Meda H, Kanikanti D, Anne M, Gowthami N. Forced degradation study of paracetamol in tablet formulation using RP-HPLC. *Bull. Pharm. Res.* 2011;1(3):13-7.
<http://www.appconnect.in/app/journalUploads/fpp-3-4.pdf>
3. Suresh CV, Sambasiva Rao KRS, Vidya Sagar G. Development of new visible spectrophotometric methods for the determination of quetiapine in pharmaceutical dosage forms. *Bull. Pharm. Res.* 2011;1(3):31-3.
<http://www.appconnect.in/app/journalUploads/fpp-3-6.pdf>
4. Shrivastava J, Shah K, Mahadik M, Dhaneshwar SR. Application of HPTLC in the simultaneous estimation of thiocolchicoside and diclofenac in bulk drug and pharmaceutical dosage form. *Bull. Pharm. Res.* 2011;1(3):34-7.
<http://www.appconnect.in/app/journalUploads/fpp-3-7.pdf>
5. Vora DK, Banerjee SK, Chhabra GS. Method development for estimation of alcohol in ayurvedic formulations using gas chromatography. *Bull. Pharm. Res.* 2012;2(1):34-7.
<http://www.appconnect.in/app/journalUploads/fpp-4-7.pdf>
6. Singh S, Yadav AK, Gautam H. First order derivative spectrophotometric determination of telmisartan in pharmaceutical formulation. *Bull. Pharm. Res.* 2012;2(2):83-6.
<http://www.appconnect.in/app/journalUploads/fpp-5-6.pdf>
7. Saka C, Sahin O. Determination of serotonin-norepinephrine reuptake inhibitor antidepressants in pharmaceuticals and biological material. *Crit. Rev. Anal. Chem.* 2013;43(1):2-34.
<http://www.tandfonline.com/doi/abs/10.1080/10408347.2011.645377#.Ud53kKxq09Q>
8. Banerjee SK, Vasava NM. Simultaneous estimation of amlodipine and rosuvastatin in combined bulk forms by RP-HPLC using ultraviolet detection. *Bull. Pharm. Res.* 2013;3(1):29-33.
<http://www.appconnect.in/wp-content/uploads/2011/03/ReprintBPR068.pdf>