

Dahiya S, Gupta ON. Formulation and *in vitro* evaluation of metoprolol tartrate microspheres. *Bull. Pharm. Res.* 2011;1(1):31-9.

### References (15):

1. Amperiadou A, Georgarakis M. Controlled release salbutamol sulphate microcapsules prepared by emulsion solvent-evaporation technique and study on the release affected parameters. *Int. J. Pharm.* 1995;115(1):1-8.  
<http://www.ingentaconnect.com/content/els/03785173/1995/00000115/00000001/art00223>
2. Atyabi F, Vahabzadeh R, Dinarvand R. Preparation of ethylcellulose coated gelatin microspheres as a multiparticulate colonic delivery system for 5-aminosalicylic acid. *Iran. J. Pharm. Res.* 2004;3(2):81-6.  
[http://www.sid.ir/en/VEWSSID/J\\_pdf/92720040209.pdf](http://www.sid.ir/en/VEWSSID/J_pdf/92720040209.pdf)
3. Bhalerao SS, Lalla JK, Rane MS. Study of processing parameters influencing the properties of diltiazem hydrochloride microspheres. *J. Microencapsul.* 2001;18(3):299-307.  
<http://informahealthcare.com/doi/abs/10.1080/02652040010019488?journalCode=mnc>
4. Brayden DJ. Controlled release technologies for drug delivery. *Drug Discov. Today* 2003;8(21):976-8.  
<http://www.ingentaconnect.com/content/els/13596446/2003/00000008/00000021/art02874>
5. Das MK, Rao RK. Evaluation of zidovudine encapsulated ethylcellulose microspheres prepared by water-in-oil-in-oil (w/o/o) double emulsion solvent diffusion technique. *Acta Pol. Pharm.* 2006;63(2):141-8.  
[http://www.ptfarm.pl/pub/File/wydawnictwa/acta\\_pol/2006/2\\_06/141-148.pdf](http://www.ptfarm.pl/pub/File/wydawnictwa/acta_pol/2006/2_06/141-148.pdf)
6. Guyot M, Fawaz F. Nifedipine loaded-polymeric microspheres: preparation and physical characteristics. *Int. J. Pharm.* 1998;175(1):61-74.  
<http://www.ingentaconnect.com/content/els/03785173/1998/00000175/00000001/art00253>
7. Korsmeyer RW, Gurny R, Doelker E, Buri P, Peppas NA. Mechanisms of solute release from porous hydrophilic polymers. *Int. J. Pharm.* 1983;15(1):25-35.  
[http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6T7W-4772KNC-29&\\_user=10&\\_coverDate=05%2F31%2F1983&\\_rdoc=1&\\_fmt=high&\\_orig=gateway&\\_origin=gateway&\\_sort=d&\\_docanchor=&\\_view=c&\\_searchStrId=1711986347&\\_rerunOrigin=google&\\_acct=C000050221&\\_version=1&\\_urlVersion=0&\\_userid=10&md5=70ea490144fb785466b3c27e5c04c00a&searchtype=a](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T7W-4772KNC-29&_user=10&_coverDate=05%2F31%2F1983&_rdoc=1&_fmt=high&_orig=gateway&_origin=gateway&_sort=d&_docanchor=&_view=c&_searchStrId=1711986347&_rerunOrigin=google&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=70ea490144fb785466b3c27e5c04c00a&searchtype=a)
8. Mazumdar B, Bhattacharya S. Preparation and *in vitro* evaluation of chlorpheniramine maleate loaded microspheres. *Int. J. PharmTech Res.* 2009;1(3):905-13.  
[http://sphinxesai.com/PTVOL3/PT=81,%20BHASKAR%20MUZUMDAR,%20\(905-913\).pdf](http://sphinxesai.com/PTVOL3/PT=81,%20BHASKAR%20MUZUMDAR,%20(905-913).pdf)

9. Pachua L, Sarkar S, Mazumder B. Formulation and evaluation of matrix microspheres for simultaneous delivery of salbutamol sulphate and theophylline. *Trop. J. Pharm. Res.* 2008;7(2):995-1002.  
<http://www.bioline.org.br/pdf?pr08019>
10. Rao RK, Senapati P, Das MK. Formulation and in vitro evaluation of ethyl cellulose microspheres containing zidovudine. *J. Microencap.* 2005;22(8):863-76.  
<http://cat.inist.fr/?aModele=afficheN&cpsidt=17364922>  
<http://informahealthcare.com/doi/abs/10.1080/02652040500273498>
11. Rout PK, Ghosh A, Nayak UK, Nayak BS. Effect of method of preparation on physical properties and *in vitro* drug release profile of losartan microspheres - A comparative study. *Int. J. Pharm. Pharm. Sci.* 2009;1(1):108-18.  
<http://ijppsjournal.com/Vol%201%20Issue%201/119.pdf>
12. Salomon JL, Doelker E. Formulation des comprimés à libération prolongée I. Matrices inertes. *Pharm. Acta Helv.* 1980; 55(6):174-82.  
<http://www.ncbi.nlm.nih.gov/pubmed/7413682>
13. Saravanan M, Bhaskar K, Srinivasa Rao G, Dhanaraju MD. Ibuprofen-loaded ethylcellulose/polystyrene microspheres - An approach to get prolonged drug release with reduced burst effect and low ethylcellulose content. *J. Microencap.* 2003;20(3):289-302. <http://informahealthcare.com/doi/abs/10.3109/02652040309178070?journalCode=mnc>
14. Sarisuta N, Saowakontha R, Ruangsuksriwong C. Effect of surfactant on release characteristics of clonidine hydrochloride from ethylcellulose film. *Drug Dev. Ind. Pharm.* 1999;25(3):373-77.  
<http://informahealthcare.com/doi/abs/10.1081/DDC-100102185>
15. Singh A. The use of controlled release technology in drug delivery. *MURJ* 2000;2:56-8.  
<http://web.mit.edu/murj/www/v02/v02-Reports/v02-r4.pdf>

