

Kumar V. Topological models for the prediction of tyrosine kinase inhibitory activity of 4-anilinoquinazolines. *Bull. Pharm. Res.* 2011;1(2):53-9.

### References (29):

1. Balaban AT, Quintas LV. The smallest graphs, trees and 4-trees with degenerate topological index *J. MATCH Commun. Math. Comput. Chem.* 1983;14:213-33.  
<http://www.pmf.kg.ac.rs/match/content14.htm>
2. Bansal H, Sharma A, Sharma V, Kumar V. Pharmacophore modeling studies on xanthenes as monoamine oxidase-A inhibitors. *Bull. Pharm. Res.* 2011;1(1):15-21.  
<http://www.appconnect.in/wp-content/uploads/2011/05/FirstPageReviewBPR003.pdf>
3. Basak SC, Grunwald GD. A comparative study of graph invariants, total surface area, and volume in predicting boiling points of alkanes. *Math. Model. Sci. Comput.* 1993;2:735-40.
4. Basak SC, Niemi GJ, Veith GD. Optimal characterization of structure for prediction of properties. *J. Math. Chem.* 1990;4(1):185-205.  
<http://www.springerlink.com/content/v780206k5364nk34/>
5. de Vries C, Escobedo JA, Ueno H, Houck K, Ferrara N, Williams LT. The fms-like tyrosine kinase, a receptor for vascular endothelial growth factor. *Science* 1992;255(5047):989-91.  
<http://www.ncbi.nlm.nih.gov/pubmed/1312256>
6. Fan T-P D, Jaggar R, Bicknell R. Controlling the vasculature: Angiogenesis, anti-angiogenesis, and vascular targeting of gene therapy. *Trends Pharmacol. Sci.* 1995;16(2):57-66.  
<http://www.sciencedirect.com/science/article/pii/S0165614700889798>
7. Garcia-Echeverria C, Fabbro D. Therapeutically targeted anticancer agents: Inhibitors of receptor tyrosine kinases. *Mini Rev. Med. Chem.* 2004;4(3):273-83.  
<http://www.ingentaconnect.com/content/ben/mrmc/2004/00000004/00000003/art00004>
8. Gupta S, Singh M, Madan AK. Superpendentic index: A novel topological descriptor for prediction of biological activity. *J. Chem. Inf. Comput. Sci.* 1999;39(2):272-7.  
<http://pubs.acs.org/doi/abs/10.1021/ci980073q>
9. Gupta S, Singh M, Madan AK. Predicting anti-HIV activity: Computational approach using a novel topological descriptor. *J. Comput. Aided Mol. Des.* 2001;15(7):671-8.  
<http://www.springerlink.com/content/j265460182570134/>
10. Gutman I, Randic M. Algebraic characterization of skeletal branching. *Chem. Phys. Lett.* 1977;47(1):15-9.  
<http://www.sciencedirect.com/science/article/pii/0009261477852962>
11. Gutman I, Russic B, Trinajstic N, Wilcox CF. Graph theory and molecular orbitals. XII. Acyclic polyenes. *J. Chem. Phys.* 1975;62(9):3399-3405.  
[http://jcp.aip.org/resource/1/jcpsa6/v62/i9/p3399\\_s1?isAuthorized=no](http://jcp.aip.org/resource/1/jcpsa6/v62/i9/p3399_s1?isAuthorized=no)

12. Hosoya H. Topological index. A newly proposed quantity characterizing the topological nature of structural isomers of saturated hydrocarbons. *Bull. Chem. Soc. Jpn.* 1971;44(9): 2332-9.  
<http://www.journalarchive.jst.go.jp/jnlpdf.php?cdjournal=bcsj1926&cdvol=44&noissue=9&startpage=2332&lang=en&from=jnlabstract>
13. Jakeman LB, Armanini M, Phillips HS, Ferrara N. Developmental expression of binding sites and messenger ribonucleic acid for vascular endothelial growth factor suggests a role for this protein in vasculogenesis and angiogenesis. *Endocrinology* 1993;133(2):848-59.  
<http://endo.endojournals.org/content/133/2/848.abstract>
14. Kier LB, Hall LH. *Molecular Connectivity in Structure-Activity Analysis*, Research Studies Press: Letchworth, Herefordshire, UK, 1986.
15. Klopman G, Raychaudhury C. Novel approach to the use of graph theory in structure-activity relationship studies. Application to the qualitative evaluation of mutagenicity in a series of nonfused ring aromatic compounds. *J. Comput. Chem.* 1988;9(3):232-43.  
<http://onlinelibrary.wiley.com/doi/10.1002/jcc.540090307/abstract>
16. Krozely P. Epidermal growth factor receptor tyrosine kinase inhibitors: Evolving role in the treatment of solid tumors. *Clin. J. Oncol. Nurs.* 2004;8(2):163-8.  
<http://ons.metapress.com/content/1477p65517942xlp/>
17. Kumar V, Madan AK. Topological models for the prediction of cyclin-dependent kinase 2 inhibitory activity of aminothiazoles. *MATCH Commun. Math. Comput. Chem.* 2004;51:59-78.  
<http://scindeks.nb.rs/article.aspx?artid=0340-62530451059K&lang=en>
18. Hennequin LF, Stokes ESE, Thomas AP, Johnstone C, Ple PA, Ogilvie DJ, Dukes M, Wedge SR, Kendrew J, Curwen JO. Novel 4-anilinoquinazolines with C-7 basic side chains: Design and structure activity relationship of a series of potent, orally active, VEGF receptor tyrosine kinase inhibitors. *J. Med. Chem.* 2002;45(6):1300-12.  
<http://pubs.acs.org/doi/abs/10.1021/jm011022e>
19. Li L, Wartchow CA, Danthi SN, Shen Z, Dechene N, Pease J, Choi HS, Doede T, Chu P, Ning S, Lee DY, Bednarski MD, Knox SJ. A novel antiangiogenesis therapy using an integrin antagonist or anti-Flk-1 antibody coated <sup>90</sup>Y-labeled nanoparticles. *Int. J. Radiat. Oncol. Biol. Phys.* 2004;58(4):1215-27.  
<http://www.sciencedirect.com/science/article/pii/S0360301603022983>
20. Martin YC. *Quantitative Drug Design: A Critical Introduction*, Marcel Dekker: New York, 1978.
21. Randic M. Characterization of molecular branching. *J. Am. Chem. Soc.* 1975;97(23):6609-15.  
<http://pubs.acs.org/doi/abs/10.1021/ja00856a001>
22. Randic M. On molecular identification numbers. *J. Chem. Inf. Comput. Sci.* 1984;24(3):164-75. <http://pubs.acs.org/doi/abs/10.1021/ci00043a009>
23. Randic M. In search of structural invariants. *J. Math. Chem.* 1992;9(2):97-146.  
<http://www.springerlink.com/content/w85675032588k611/>

24. Saxena AK. Physicochemical significance of topological parameters, connectivity indices and information content. Part1: Correlation studies in the sets with aromatic and aliphatic substituents. *Quant. Struct.-Act. Relat.* 1995;14(1):31-8.  
<http://onlinelibrary.wiley.com/doi/10.1002/qsar.19950140106/abstract>
25. Sabljic A, Trinajstic N. Quantitative structure-activity relationships: The role of topological indices. *Acta. Pharm. Jugosl.* 1981;31:189-214.
26. Trinajstic N. *Chemical Graph Theory*, 2<sup>nd</sup> Edition, CRC Press: Boca Raton, FL, 1992.
27. Verheul HM, Pinedo HM. Vascular endothelial growth factor and its inhibitors. *Drugs Today (Barc)*. 2003;39(Suppl C):81-93.  
<http://www.ncbi.nlm.nih.gov/pubmed/14988747>
28. Wiener H. Influence of interatomic forces on paraffin properties. *J. Chem. Phys.* 1947;15:766.  
[http://jcp.aip.org/resource/1/jcpsa6/v15/i10/p766\\_s1?isAuthorized=no](http://jcp.aip.org/resource/1/jcpsa6/v15/i10/p766_s1?isAuthorized=no)
29. Wilkins CL, Randic M. A graph theoretical approach to structure-property and structure-activity correlations. *Theor. Chim. Acta* 1980;58(1):45-68.  
<http://www.springerlink.com/content/t0353j8wr73318u0/>

