

Madaan R, Bansal G, Sharma A. New phenolic glycosides from roots of *Actaea spicata* Linneaus. *Bull. Pharm. Res.* 2011;1(1):11-4.

References (14):

1. Chopra RN, Nayar SL, Chopra IC. Glossary of Indian Medicinal Plants, Council of Scientific and Industrial Research: New Delhi (India), 1956; 7.
2. Dai J, Mumper RJ. Plant phenolics: extraction, analysis and their antioxidant and anticancer properties. *Molecules* 2010;15(10):7313-52.
<http://www.mdpi.com/1420-3049/15/10/7313/pdf>
3. Duke JA, Duke PAK, Duceellier JL. Duke's Handbook of Medicinal Plants of the Bible, CRC Press: New York, 2008; 56.
4. Farnsworth NR. Biological and phytochemical screening of plants. *J. Pharm. Sci.* 1966;55(3):225-76.
<http://onlinelibrary.wiley.com/doi/10.1002/jps.2600550302/abstract>
5. Fleming T, Gruenwald J. Physician's Desk Reference (PDR) for Herbal Medicines. Medical Economics Company: New York, 2000; 60-1.
6. Gowri SS, Pavitha S, Vasantha K. Free radical scavenging capacity and antioxidant activity of young leaves and barks of *Acacia nilotica* (L.) Del. *Int. J. Pharm. Pharm. Sci.* 2011;3(1):160-4.
<http://www.ijppsjournal.com/Vol3Issue1/1039.pdf>
7. Jayaprakasha GK, Girenavar B, Patil BS. Radical scavenging activities of Rio Red grapefruits and Sour orange fruit extracts in different *in vitro* model systems. *Bioresour. Technol.* 2008;99(10):4484-94.
<http://www.ncbi.nlm.nih.gov/pubmed/17935981>
8. Kedage VV, Tilak JC, Dixit GB, Devasagayam TPA, Mhatre M. A study of antioxidant properties of some varieties of grapes (*Vitis vinifera* L.). *Crit. Rev. Food Sci. Nutr.* 2007;47(2):175-85.
<http://www.informaworld.com/smpp/section?content=a769959560&fulltext=713240928>
9. Khare CP. Indian Medicinal Plants: An Illustrated Dictionary, Spinger Science and Business Media: 233 Spring Street, New York (USA), 2007; 17.
10. Kirtikar KR, Basu BD. Indian Medicinal Plants, Edn. 2, Lalit Mohan Basu Publishers: Allahabad (India), 1975; 23-4.
11. Kiselova Y, Ivanova D, Chervenkov T, Gerova D, Galunska B, Yankova T. Correlation between the *in vitro* antioxidant activity and polyphenol content of aqueous extracts from bulgarian herbs. *Phytother. Res.* 2006;20(11):961-5.
<http://onlinelibrary.wiley.com/doi/10.1002/ptr.1985/abstract>

12. Klimczak I, Malecka M, Szlachta M, Gliszczynska-Swiglo A. Effect of storage on the content of polyphenols, vitamin C and the antioxidant activity of orange juices. *J. Food Compost. Anal.* 2007;20(3-4):313-22.
<http://www.aseanfood.info/Articles/11018574.pdf>
13. Nikonov GK, Syrkina-Krugliak SA. Chemical analysis of the active principle of *Actaea spicata* L. *Aptechn. Delo.* 1963;12(1):36-9.
<http://www.ncbi.nlm.nih.gov/pubmed/13938697>
14. Patel VR, Patel PR, Kajal SS. Antioxidant activity of some selected medicinal plants in western region of India. *Adv. Biol. Res.* 2010;4(1):23-6.
[http://www.idosi.org/abr/4\(1\)/5.pdf](http://www.idosi.org/abr/4(1)/5.pdf)

