

Bansal H, Sharma A, Sharma V, Kumar V. Pharmacophore modeling studies on xanthones as monoamine oxidase-A inhibitors. *Bull. Pharm. Res.* 2011;1(1):15-21.

**References (22):**

1. Binda C, Wang J, Li M, Hubalek F, Mattevi A, Edmondson DE. Structural and mechanistic studies of arylalkyl hydrazine inhibition of human monoamine oxidases A and B. *Biochemistry* 2008;47(20):5616-25.  
<http://pubs.acs.org/doi/abs/10.1021/bi8002814>
2. Chimenti F, Bolasco A, Manna F, Secci D, Chimenti P, Befani O, Turini P, Giovannini V, Mondovi B, Cirilli R, Torre FL. Synthesis and selective inhibitory activity of 1-acetyl-3,5-diphenyl-4,5-dihydro-(1*H*)-pyrazole derivatives against monoamine oxidase. *J. Med. Chem.* 2004;47(8): 2071-4.  
<http://pubs.acs.org/doi/abs/10.1021/jm031042b>
3. Chimenti F, Macconni E, Secci D, Bolasco A, Chimenti P, Granese A, Befani O, Turini P, Alcaro S, Ortuso F, Cardia MC, Distinto S. Selective inhibitory activity against MAO and molecular modeling studies of 2-thiazolylhydrazone derivatives. *J. Med. Chem.* 2007;50(4):707-12.  
<http://pubs.acs.org/doi/abs/10.1021/jm060869d>
4. Chimenti F, Macconni E, Secci D, Bolasco A, Chimenti P, Granese A, Carradori S, Alcaro S, Ortuso F, Yanez M, Orallo F, Cirilli R, Ferretti R, Torre FL. Synthesis, stereochemical identification, and selective inhibitory activity against human monoamine oxidase-B of 2-methylcyclohexylidene-(4-arylthiazol-2-yl)hydrazones. *J. Med. Chem.* 2008;51(16):4874-80.  
<http://pubs.acs.org/doi/abs/10.1021/jm800132g>
5. Dureja H, Kumar V, Gupta S, Madan AK. Topochemical models for the prediction of lipophilicity of 1,3-disubstituted propan-2-one analogs. *J. Theor. Comput. Chem.* 2007;6(3):435-48.  
<http://www.worldscinet.com/jtcc/06/0603/S021963360700309X.html>
6. Gallardo-Godoy A, Fierro A, McLean TH, Castillo M, Cassels BK, Reyes-Parada M, Nichols DE. Sulfur-substituted  $\alpha$ -alkyl phenethylamines as selective and reversible MAO-A inhibitors: Biological activities, CoMFA analysis, and active site modeling. *J. Med. Chem.* 2005;48(7):2407-19.  
<http://pubs.acs.org/doi/abs/10.1021/jm0493109>
7. Gnerre C, Thull U, Gaillard P, Carrupt P-A, Testa B, Fernandes E, Silva F, Pinto M, Pinto MMM, Wolfender J-L, Hostettmann K, Cruciani G. Natural and synthetic xanthones as monoamine oxidase inhibitors: Biological assay and 3D-QSAR. *Helv. Chim. Acta* 2001;84(3):552-70.  
[http://onlinelibrary.wiley.com/doi/10.1002/1522-2675\(20010321\)84:3%3C552::AID-HLCA552%3E3.0.CO;2-X/abstract](http://onlinelibrary.wiley.com/doi/10.1002/1522-2675(20010321)84:3%3C552::AID-HLCA552%3E3.0.CO;2-X/abstract)
8. Hubalek F, Binda C, Li M, Herzig Y, Sterling J, Youdim MBH, Mattevi A, Edmondson DE. Inactivation of purified human recombinant monoamine oxidases A and B by rasagiline and its analogues. *J. Med. Chem.* 2004;47(7): 1760-6.  
[http://www.evetopf-center.org/Articles/Art\\_25072005112139.pdf](http://www.evetopf-center.org/Articles/Art_25072005112139.pdf)

9. Kalgutkar AS, Castagnoli K, Hall A, Castagnoli Jr. N. Novel 4-(aryloxy)tetrahydropyridine analogs of MPTP as monoamine oxidase A and B substrates. *J. Med. Chem.* 1994;37(7):944-9.  
<http://pubs.acs.org/doi/abs/10.1021/jm00033a012>
10. Langer T, Wolber G. Lead optimization. Pharmacophore definition and 3D searches. *Drug Discov. Today: Technol.* 2004;1(3):203-7.  
<http://www.londonmet.ac.uk/fms/LondonMet/Academic%20Admin/AIU/Cousework/2007/ReAssesments/HHS/BM/MSP029N%20Reassessment%202007/MSP029N%20Test%20article.pdf>
11. Maestro, version 8.5; Macromodel, version 9.6; Glide, version 5.0; Schrodinger, New York, NY, 2008; LigPrep, version 2.2; Schrodinger, New York, NY, 2005; Phase, version 3.0, Schrodinger, LLC, New York, NY, 2008.
12. Mai A, Artico M, Esposito M, Sbardella G, Massa S, Befani O, Turini P, Giovannini V, Mondovi B. 3-(1*H*-Pyrrol-1-yl)-2-oxazolidinones as reversible, highly potent, and selective inhibitors of monoamine oxidase type A. *J. Med. Chem.* 2002;45(6):1180-3.  
<http://pubs.acs.org/doi/abs/10.1021/jm015578d>
13. Medvedev AE, Ivanov AS, Veselovsky AV, Skvortsov VS, Archakov AI. QSAR analysis of indole analogues as monoamine oxidase inhibitors. *J. Chem. Inf. Comput. Sci.* 1996;36(4):664-71.  
<http://pubs.acs.org/doi/abs/10.1021/ci950126t>
14. Medvedev AE, Veselovsky AV, Shvedov VI, Tikhonova OV, Moskvitina TA, Fedotova OA, Axenova LN, Kamyshanskaya NS, Kirkel AZ, Ivanov AS. Inhibition of monoamine oxidase by pirlindole analogues: 3D-QSAR and CoMFA analysis. *J. Chem. Inf. Comput. Sci.* 1998;38(6):1137-44.  
<http://pubs.acs.org/doi/abs/10.1021/ci9802068>
15. Nunez MB, Maguna FP, Okulik NB, Castro EA. QSAR modeling of the MAO inhibitory activity of xanthones derivatives. *Bioorg. Med. Chem. Lett.* 2004;14(22):5611-7.  
<http://www.ncbi.nlm.nih.gov/pubmed/15482934>
16. Pacher P, Kohegyi E, Kecskemeti V, Furst S. Current trends in the development of new antidepressants. *Curr. Med. Chem.* 2001;8(2):89-100.  
<http://www.ncbi.nlm.nih.gov/pubmed/11172668>
17. Regina GL, Silvestri R, Artico M, Lavecchia A, Novellino E, Befani O, Turini P, Agostinelli E. New pyrrole inhibitors of monoamine oxidase: Synthesis, biological evaluation, and structural determinants of MAO-A and MAO-B selectivity. *J. Med. Chem.* 2007;50(5):922-31.  
<http://pubs.acs.org/doi/abs/10.1021/jm060882y>
18. Roy J, Kumar UC, Machiraju, PK, Muttineni, RK, Suneel Kumar BVS, Gundla R, Dayam R, Sarma JARP. Insilico studies on anthrax lethal factor inhibitors: Pharmacophore modeling and virtual screening approaches towards designing of novel inhibitors for a killer. *J. Mol. Graph. Model.* 2010;29(2):256-65.  
<http://www.ncbi.nlm.nih.gov/pubmed/20727800>
19. Santana L, Uriarte E, Gonzalez-Diaz H, Zagotto G, Soto-Otero R, Mendez-Alvarez E. A QSAR model for in silico screening of MAO-A inhibitors. Prediction, synthesis, and biological assay of novel coumarins. *J. Med. Chem.* 2006;49(3):1149-56.  
<http://pubs.acs.org/doi/abs/10.1021/jm0509849>

20. Santo RD, Costi R, Roux A, Artico M, Befani O, Meninno T, Agostinelli E, Palmegiani P, Turini P, Cirilli R, Ferretti R, Gallinella B, Torre FL. Design, synthesis, and biological activities of pyrrolylethanoneamine derivatives, a novel class of monoamine oxidases inhibitors. *J. Med. Chem.* 2005;48(13):4220-3.  
<http://pubs.acs.org/doi/abs/10.1021/jm050172c>
21. Silvestri R, Regina GL, Martino GD, Artico M, Befani O, Palumbo M, Agostinelli E, Turini P. Simple, potent, and selective pyrrole inhibitors of monoamine oxidase types A and B. *J. Med. Chem.* 2003;46(6):917-20.  
<http://pubs.acs.org/doi/abs/10.1021/jm0256124>
22. Wold S. Validation of QSAR's. *Quant. Struct. Act. Relat.* 1991;10(3):191-3.  
<http://onlinelibrary.wiley.com/doi/10.1002/qsar.19910100302/abstract>

